
## ITH-FSA-Fringed-Mug-Rugs-5x7-CF-NLS

Instructions




## ITH-FSA-Fringed-Mug-Rug-5x7-CF-NLS



Filename: NLSEE2365-5x7 Stitch Count: 17,020

Size: 6.92 x 4.6 inches (175.78 x116.9 mm)




Filename: NLSEE2366-5x7 Stitch Count: 15,781

Size: 6.92 x 4.6 inches (175.78 x116.9 mm)

## **Materials/Cutting Chart**

Materials	Number of Cuts and Size of Cuts
Fabric for Front (Fabric selection should not	1 cut at 5.25 x 7.5 inches
be a busy fabric or front design will not	
show up).	
Back Material-I use Felt-backed, Vinyl Table	1 cut at 5.25 x 7.5 inches
Cloth, material	
Heat-N-Bond Lite	1 cut at 5.25 x 7.5 inches
Puffy Foam	1 cut at 5.25 x 7.5 inches
Tear-away stabilizer	2 cuts at 5.25 x 1.5 inches
Water-Soluble Stabilizer (use the fabric-like	Enough for one layer in a 5x7 inch
type, not the plastic-type. I use Pellon, 541,	embroidery hoop
Wash-N-Gone).	
Threads	Various colors based on front fabric-
	Design should be sewn in a thread
	color that will stand out on front of
	mug rug.

The Color Sequence Chart below will be referenced throughout these instructions.




## NLSEE2366-5x7


1.	Prepare materials as indicated in the Materials/Cutting chart at the top of this page.	
2.	Fuse the Heat-N-Bond Lite piece to the wrong side of the front fabric and set aside.	
3.	Transfer the design to your embroidery machine.	
4.	Hoop one layer of water soluble stabilizer in a 5x7 inch	
	embroidery hoop and attach to embroider machine.	
5.	Change needle thread and bobbin thread to white, as these stitches will not be visible once project is completed.	
6.	Sew #1 in the Color Sequence Chart. These stitches will create the "placement" stitches for the Mug Rug.	

7. Remove hoop from machine, place on a flat surface, face up, and place the Puffy Foam piece over the placement stitches. Secure with tape at top and bottom.	
8. Return hoop to machine and sew #2 in the Color Sequence Chart. These stitches will attach the Puffy Foam to the stabilizer.	
9. Remove hoop from machine, place on a flat surface and using sharp scissors, carefully cut away the excess foam from around the stitching.  Output  Description:	
10. Remove paper backing of the Heat-N-Bond from the back of the front, fabric, piece.	

11. Place the front fabric, right side up, over the foam and tape in place.	
12. Return hoop to machine and sew #3 in the Color Sequence Chart. These stitches will attach the front fabric to the project.	
<ul> <li>13. Change needle thread to the color you want the front design to be stitched in. You can leave the white thread in the bobbin for this step.</li> <li>14. Sew #4 in the Color Sequence Chart. These stitches will create the front design of the Mug Rug.</li> </ul>	
15. Remove hoop from machine and place face-down on a flat surface. The back of the hoop should be showing.	

16. Place the back fabric, right-side up, over the back of the hoop and secure with tape at all four corners.	
<ul> <li>17. Return hoop to machine. Change needle thread to white-The bobbin thread should still be white.</li> <li>18. Sew #4 in the Color Sequence Chart. These stitches will attach the back material to the project.</li> </ul>	
19. Remove hoop from machine. Using sharp scissors, cut away the excess back material from the project.	
20. Turn hoop to right side and carefully cut away the excess front fabric from around the project.	





The other Mug Rug (NLSEE2365-5x7) is sewn in the same way-They differ only in the front design.