## **ITH Cord Wraps**

# **ITH Cord Wraps**



#### **General Instructions**

Finished sizes

3 1/2" x 3/4" (4x4 hoop)

4 7/8" x 1" (5x5 or 5x7 hoop)

### **Materials Needed:**

Tear-Away Stabilizer

Fabric of choice (these will be trimmed the same as applique

Small = 4" x 1" and 3" x 1"

Large = 5" x 1 1/4" and 4" x 1 1/4"

Velcro Small Size = 3/4" x 1"

Velcro Large Size = 3/4" x 1 1/2"

Clear Tape


#### Washable Glue Stick

Hoop Tear-Away Stabilizer

Color 1: outline of design Stitch



Color 2: Placement of Hook side of Velcro.




Remove hoop from machine and place hook side of Velcro "face down" over stabilizer.

Tape in place.



Color 3: Tack Down for Velcro



Remove hoop from machine and place a strip of material (right side up) over the entire design.






Color 4: tack down for material. Remove hoop from machine and cut around material like you would for applique.



Place a piece of Velcro on the "right" end of the design, on top of material, with the "fuzzy" side facing up. Place a piece of tape over Velcro to hold in place.



Color 5: Tack down for Velcro piece.



Continue with the design as instructed for each piece.



Color 7: Remove hoop from machine and place a piece of material over the "bottom" side of the hoop.



Stitch the tack down stitch. Remove hoop from machine, turn hoop over and trip material as you would for applique.



Color 8: Satin stitch around design. It is important to have the "bobbin" thread match the "top" thread for this step.

Remove project from hoop. Remove piece of stabilizer from the "hook" side of the project.

