

ITH-Ornaments-Gift-Card-Silverware-Holders-5x7-NLS

Instructions



The chart below shows filenames for each of the designs.

| ITH-Ornaments-Gift-Card-Silverware-Holders-5x7-NLS | | |
|--|--|--|
|  <p>NLSEE1527-5x7</p> |  <p>NLSEE1528-5x7</p> |  <p>NLSEE1529-5x7</p> |
|  <p>NLSEE1530-5x7</p> |  <p>NLSEE1531-5x7</p> |  <p>NLSEE1532-5x7</p> |

Materials/Cutting Chart


NLSEE1532-5x7

| Materials | Number of cuts & Size |
|--|--|
| Fabric 1-center of stocking | 1 cut at 5 x 5.5 inches |
| Fabric 2-cuff, toe, heel & back | 1 cut at 4.5 x 2.25 (cuff) 1 cut at 3 x 2.5 inches (toe) 1 cut at 2.5 x 2 inches (heel) 1 cut at 13.5 x 5.5 inches (back) |
| Puffy Foam | 1 cut at 6.5 x 5.5 inches |
| Heat-N-Bond Lite (<i>You should have one cut of Heat-N-bond for each of the fabric pieces. The Heat-N-Bond piece for the back is half the length of the fabric.</i>) | 1 cut at 6.5 x 5.5 inches 1 cut at 5 x 5.5 inches 1 cut at 4.5 x 2.25 inches 1 cut at 3 x 2.5 inches 1 cut at 2.5 x 2 inches |
| Ribbon | 7 inches (will be folded in half for hanger) |
| Water-Soluble Stabilizer | Enough for a 5 x 7 inch embroidery hoop (for each design) |



The Color Sequence Chart below will be referenced throughout these instructions.

Color Sequence:



Printed by Generations(TM), Copyright 2002-2007, All Rights Reserved.

1. Prepare materials as indicated in the Materials/Cutting Chart above.



Ribbon



Back Fabric & Heat-N-Bond



Puffy Foam




Front Fabric Pieces & Heat-N-Bond

2. Fuse the Heat-N-Bond pieces to the backs of the fabric pieces.
3. Hoop stabilizer in a 5 x 7 inch embroidery hoop and attach to machine.
4. Transfer design file to embroidery machine.



5. Sew #1 in the Color Sequence Chart. These stitches will create the placement stitches for the stocking.



6. Remove hoop from machine and place on a flat surface.
7. Place the Puffy Foam piece over the placement stitches. Secure with tape at top and bottom,



8. Return hoop to machine and sew #2 in the Color Sequence Chart. These stitches will attach the foam to the stabilizer.



9. Remove hoop from machine and carefully cut around the foam- being careful not to cut the stabilizer.



10. Return hoop to machine and sew #3 in the Color Sequence Chart. These stitches will outline the central part of the stocking- placement stitches.
11. Remove the paper backing from the fabric for the central part of the stocking and place the fabric, right side up, over the foam. Make sure to cover all placement stitches for the central part of the stocking.




12. Return hoop to machine and sew #4 in the Color Sequence Chart. These stitches will attach the fabric to the central part of the stocking.



13. Remove hoop from machine and carefully cut away the areas indicated in the photo.

Do not cut away the other parts of the fabric that overlap the outside of the stocking.



14. Remove paper backing from the three fabric pieces for the cuff, toe, and heel of the stocking. Place them, right side up over the areas and secure with tape (outside of the stitching area).




15. Return hoop to machine and sew #5 in the Color Sequence Chart. These stitches will attach the three fabric pieces to the stocking.



16. Remove hoop from machine, place on a flat surface, and carefully cut away the areas indicated in the photo.

Do not cut away the other parts of the fabric that overlap the outside of the stocking.



- 17. Return hoop to machine and sew #6 in the Color Sequence Chart. These stitches will create the angel in the center of the stocking.
- 18. Sew #7 in the Color Sequence Chart. These stitches will create the text on the cuff.




19. Sew #8 in the Color Sequence Chart. These stitches will create the satin borders "inside" of the stocking area.



20. Remove hoop from machine and place the hoop up-side-down on a flat surface.
21. Trim thread tails from back of hoop.
22. Place the folded ribbon in the corner as shown in the photo and tape in place.


Back of Hoop



23. Place the “back fabric piece” (which has been folded in half and pressed with the Heat-N-Bond between the fold) on the back of the fabric. The **FOLD** should be near the top, about ¼ inch down from the top seam. Secure with tape in areas outside of the stitching areas. *(It is necessary to make sure there is enough space between the top of the stocking and the fold in the back, fabric piece to create the top opening of the stocking. Make sure the project is covered except for the top area.)*

Fabric Fold

¼ inch between top stitching and fold



24. Return hoop to machine and sew #9 in the Color Sequence Chart. These stitches will attach the back fabric to the rest of the stocking.



25. Remove hoop from machine, turn up side down on a flat surface, and cut away the excess back fabric. Be careful not to cut the ribbon.



26. Turn hoop to right side and cut away excess fabric from around the front of the hoop.



27. Return hoop to machine and sew #10 in the Color Sequence Chart. Use the same color thread in the bobbin as in the needle. These stitches will create the satin border around the stocking.



28. Remove hoop from machine and project from hoop.
29. Cut away stabilizer from around the stocking—leave about ¼ inch to prevent cutting the border.

Notice the Remaining ¼ inch stabilizer around the stocking.



30. Remove remaining ¼ inch stabilizer from around the stocking using a wet paper towel or Q-Tip.




31. Let dry and your stocking is ready to use.



All designs in this set are sewn the same way. The stockings differ only in their front designs. I have included the Color Sequence Charts for the other five designs for your reference.

NLSEE1527-5x7


Color Sequence:



Printed by Generations(TM), Copyright: 2002-2007, All Rights Reserved.


NLSEE1528-5x7

Color Sequence:




NLSEE1529-5x7

Color Sequence:



NLSEE1530-5x7

Color Sequence:



NLSEE1531-5x7

Color Sequence:

