

The Zippered scissors pouch

Necessary materials.

The choice of fabric depends on your preferences.


I use eco-leather and vinyl leather with a thickness of 0.6-0.85 mm. If the skin is very thin, it should be glued with a thin dublerin. You can also use cotton linen, satin. The filler – rubber foam with a thickness of 5 mm or polyester batting 80 or 100.

Zipper with a small slider- the size is a little more than the width of the pouch.

Cut the fabric, lining and batting the size and quantity according to the table.

File name	the size of the design				Fabric consumption			
					the main fabric, lining -2 pieces each batting - 1 piece			
	inches		mm		inches		mm	
	width	height	width	height	width	height	width	height
6 x 10	6,10	10,24	155	260	6,30	12,20	160	310
7 x 11	6,34	10,98	161	279	6,89	12,99	175	330

Download the archive to your computer. Extract the files from the archive. Download file to your embroidery machine in the way you are used to.



Hoop tearaway or cutaway stabilizer of medium density.

Stitch Color 1



Put the zipper on the stitching. Make sure that the middle of the zipper coincides with the stitching.



Fix the zipper with paper adhesive tape or with the temporary fixation spray.

Stitch Color 2



Put the cut of the main fabric on the bottom stitching, wrong side up, covering the zipper. You can reduce the speed of the machine and control the embroidery.



Stitch Color 3

Put a piece of polyester batting (or another material for creating volume).



Stitch Color 4



Cut the polyester batting around the stitching.
Be very careful not to cut the fabric.



Turn the fabric face up covering the polyester batting.



Stitch Color 5 - Background

Stitch Color 6 - Outline

I used 1 thread color



Turn the hoop over.

Put the cut of the lining on the stitching (on which the main fabric was previously sewn) wrong side up, covering the zipper.

Fix the fabric with adhesive tape. Make sure that the fabric does not obstruct the fastening of the hoop.



Stitch Color 7



Turn the lining face up. Fix it with glue or adhesive tape.



Turn the hoop upside down. Open the zipper half way (It is important)



Put the back face down.



Stitch Color 8



Remove the hoop from the machine and turn to the back side.



Put the lining face down. Fix it with adhesive tape. Do NOT use spray at this stage.



Stitch Color 9



Cut the lining at the distance of 0.5 inches from the stitching. The allowance from the side of the opening should be wider.

Cut the corners as in the photo and cut out V notches to reduce the bulk.





Turn the pouch out through the opening in the seam.

Sew the opening with hand stitches

Or fix it with adhesive interfacing with the help of an iron.



Remove the remaining stabilizer near the zipper.

Turn the pouch out through the open zipper.
Straighten the corners.



The scissors pouch is ready

Thank you for your purchase. I hope you liked my design.

Also in my store.







